CS 70Discrete Mathematics and Probability TheoryFall 2023Rao, TalDIS 3A

1 Short Answers

Note 5

- In each part below, provide the number/equation and brief justification.
 - (a) A connected planar simple graph has 5 more edges than it has vertices. How many faces does it have?
 - (b) How many edges need to be removed from a 3-dimensional hypercube to get a tree?
 - (c) The Euler's formula v e + f = 2 requires the planar graph to be connected. What is the analogous formula for planar graphs with *k* connected components?

2 Always, Sometimes, or Never

- Note 5 In each part below, you are given some information about a graph *G*. Using only the information in the current part, say whether *G* will always be planar, always be non-planar, or could be either. If you think it is always planar or always non-planar, prove it. If you think it could be either, give a planar example and a non-planar example.
 - (a) G can be vertex-colored with 4 colors.
 - (b) G requires 7 colors to be vertex-colored.

- (c) $e \le 3v 6$, where *e* is the number of edges of *G* and *v* is the number of vertices of *G*.
- (d) G is connected, and each vertex in G has degree at most 2.

(e) Each vertex in *G* has degree at most 2.

3 Hypercubes

Note 5

The vertex set of the *n*-dimensional hypercube G = (V, E) is given by $V = \{0, 1\}^n$ (recall that $\{0, 1\}^n$ denotes the set of all *n*-bit strings). There is an edge between two vertices *x* and *y* if and only if *x* and *y* differ in exactly one bit position.

(a) Draw 1-, 2-, and 3-dimensional hypercubes and label the vertices using the corresponding bit strings.

(b) Show that the edges of an *n*-dimensional hypercube can be colored using *n* colors so that no pair of edges sharing a common vertex have the same color.

(c) Show that for any $n \ge 1$, the *n*-dimensional hypercube is bipartite.

4 Triangular Faces

Note 5

Suppose we have a connected planar graph G with v vertices and e edges such that e = 3v - 6. Prove that in any planar drawing of G, every face must be a triangle; that is, prove that every face must be incident to exactly three edges of G.